DTF STATION

CATALOGUE 2025

DTF Station International Co.,Ltd.

YouTube

Website

Tik Tok

@DTF Station

@dtfstation

@dtfstation

@DTF Station

info@dtfstationglobal.com

www.dtfstationglobal.com

CONTENT

DTF



Prestige R1



Prestige R2 Pro



Prestige L2



Prestige XL2 Pro



Prestige XL3



Prestige XL4

UV-DTF



Aries 213



Aries 124

Heat Press



Prisma Auto



Prisma Swing



Prisma Duet



Prisma Hobby



Prisma Palette

Other



Arc 127

DTF

BRAND STORY

Company Values

These are the values that guide our business, our product development, and our brand. As our company continues to evolve and grow, these values remain constant.

Vision: Our vision at DTF Station is to empower individuals worldwide to express their thoughts and emotions through their unique creations.

Value: Cultivating lasting connections, investing in people, and creating machines that endure our journey is a relentless pursuit of greatness fueled by the joy of what we do, and our ultimate purpose is to enrich lives and inspire innovation in our niche market.

Mission: Our mission at DTF Station is to be the undeniable choice for all, known in every home and print shop, where entrepreneurs start their journey with us, transforming the world of personalization and empowering printing as the ultimate tool for self-expression.

Building a Legacy of Excellence in DTF Printing

In a world where profit often takes precedence over customer service, a group of passionate individuals embarked on a journey to change the narrative of the DTF printing industry. We witnessed importers rushing into the world of DTF printers, driven solely by the allure of financial gains, often overlooking the critical aspect of after-sales service. This reckless pursuit led to countless tales of despair, where businesses lost not only their money but also their faith in the very companies they had trusted.

As DTF technology emerged on the horizon just before the global pandemic of 2019, we recognized an opportunity to make a difference. Our journey began with rigorous research and relentless dedication. We took the bold step of importing equipment from the manufacturing hub of the world, China. However, we soon discovered that the path to reliability could have been clearer. Over ten machines, sourced from various Chinese manufacturers, failed to meet our stringent quality standards.

Determined not to settle for mediocrity, we persevered. In 2021, after months of painstaking effort and unwavering commitment to excellence, we unearthed a gem in the bustling city of Shenzhen. Here, we acquired sample equipment from a company that would later become the cornerstone of our vision-DTF Station.

We were driven by a purpose: to provide something extraordinary, to break free from the cycle of mistakes that plagued other DTF resellers. Our core belief was simple but powerful: while we may not possess the industry's absolute best equipment, we would offer the industry's best overall experience. DTF Station stood apart with an unwavering commitment to customer support, boasting an impressive collection of tech support resources that set us apart.

Our journey was marked by meticulous attention to detail. DTF Station prided itself on producing machines that not only boasted excellent external aesthetics but were also crafted with unmatched quality. Our equipment was designed to be not only efficient but compact, offering a unique solution in a market filled with bulky, outdated options. The relentless pursuit of perfection led us to continuously explore multiple factories, seeking innovative solutions to enhance quality and functionality.

In a world where shortcuts and compromises were commonplace, DTF Station carved a path of unwavering dedication to our customers. Our journey was not just about the products we sold, but the legacy we were building. It was a legacy of trust, reliability, and innovation in the DTF printing industry. DTF Station was more than just a brand; it was a promise–a promise to provide an experience that customers would remember, respect, and return to for years to come.

Today, DTF Station stands as a testament to what can be achieved when passion and purpose drive a brand. We are not just a company; we are a movement, a force committed to rewriting the story of DTF printing, one satisfied customer at a time.

DTF

A3 SOLUTION

Solution for starters and crafters who want to try DTF
For less than ***64-86pcs*** prints daily







DTF

A3 SOLUTION

Entry level solution for developed business runners who need to print ***180 to 260 pcs*** of shirt per day





Prestige R2 Pro



Powder Shaking
Baking & Smoking



Transfer




Cold/Hot Peel



Prestige R2 Pro



Powder Shaking



Baking & Smoking



Transfer



Cold/Hot Peel




Final Products

DTF

COMPARISON

A3 DTF PRINTER

	Printer Head	Mainboard	Max Printing Width	Printing Speed	Daily Output
 **Prestige R1**	Epson F1080 (1)	DTF STATION PILOT	13" (33cm)	700*1080 DPI 13.45 sq. ft./h (1.25m²/h) 700*1440 DPI 9.69 sq. ft./h (0.9m²/h)	86 pcs (700*1080 DPI) / 64 pcs (720*1440 DPI)
 **Prestige R2**	Dual Epson F1080	DTF STATION PILOT	13" (33cm)	6 PASS 700*1440 DPI 27 sq. ft./h (2.51m²/h)	160 pcs
 **Prestige R2 Pro**	Dual Epson i1600	DTF STATION PILOT	13" (33cm)	700*1200 DPI (10pass) 40.9 sq.ft/h (3.8m²/h) 720*1800 DPI (12pass) 26.9 sq.ft/h (2.5m²/h)	260 pcs (700*1200 DPI) / 180 pcs (720*1800 DPI)

DTF

PRESTIGE R1

DTF PRINTER



Prestige R1 is the first original manufactured for DTF entry level users ,with the maximum printing width as 33cm(13”) and printing speed as 1.2 m2 / hour at 8 pass, it can easily allow you to manage to print 4-5 shirts/hour.

Industrial level of developing but keep for entry level’s cost! Get ready for your DTF journey now by having Prestige R1 from DTF STATION.

FEATURES


- **1.2m2/hour at 8pass!**
- **White Ink Management System(WIMS):** timed white ink stirring system to circulate and maintain white ink inside printer
- **Auto-cleaning System**
- **Auto Ink Alarming System**
- **Compact Size and Light Weight**
- **Offered with DigiRIP RIP Software**

BENEFITS

- **DTF Station Tech Support:** here to help with full after-purchase support
- Perfect for Entry level DTF Printing
- Compact yet powerful
- Intuitive, elegant design for easy set up

Scan for Info

Scan for Video


Head Strike Sensor


Front Safety Sensor


Maintenance Area



Pinch Roller Switch


White ink Circulation Controller



Temperature Controller


Emergency Stop Button


Vacuum Bed

DTF

PRESTIGE R1

DTF PRINTER

SPECIFICATIONS

Item No.: D.02.01.0032(black&grey)/D.02.01.0033(pink)/D.02.01.0034(mint)

Max Printing Width	13” (33cm)
Printing Speed	700*1080 DPI 13.45 sq. ft./h (1.25m²/h) 700*1440 DPI 9.69 sq. ft./h (0.9m²/h)
Printer Head	Epson F1080 (1)
Software	DigiRIP RIP Software + DTF STATION PILOT
Machine Dimensions	32.28"W x 25.2"D x 12.6"H 82cm x 64cm x 32cm
Packaging Dimensions	35.43"W x 23"D x 21.3"H 90cm x 58.5cm x 54.1cm

Mainboard	DTF STATION PILOT
Machine Weight	82 lbs(37kg)
Packaging Weight	88 lbs(40kg)
Daily Output	86 pcs(700*1080 DPI) / 64 pcs(720*1440 DPI)
Power Requirements	700W
Suitable Users	Starter

R1 BUNDLE




Prestige R1

Powder Shaker


Miro 13 Max


Seismo S20


Phoenix Air 4050

Heat Press Machine


Prisma Auto


Prisma Swing


Prisma Palette

DTF

PRESTIGE R2 PRO

DTF PRINTER



Unleash your printing potential with the DTF Station **Prestige R2 Pro** DTF Printer - true production printing at a value and size you can't find anywhere else. This 13" powerhouse boasts dual Epson i1600 print heads for enhanced reliability and vibrant, crisp prints, alongside a suite of features for easy use and maintenance. Elevate your printing today.

FEATURES

- **Speed:** 30-35 sq. ft. / hour, (720x1200)
- White Ink Management System (WIMS): timed white ink stirring system to circulate and maintain white ink inside printer, plus with the **Auto Ink Alert System**
- **Passive Auto-Cleaning: when printer is left on, it will automatically maintain and clean printhead every 4 hours**
- **Active Auto-Cleaning: during set intervals (even during printing), printer can stop to clean printhead**
- **Head Strike Sensor: helps prevent damage to printhead, also coming with Automatic Film Sensor**

BENEFITS


- **Desktop Size** with production power and quality
- Great for Intermediate Users, perfect balance of power and affordability
- Easy Access & Repair with Intuitive, labeled board design and connections

Scan for Info


Scan for Video




Visual Printing Platform



Easy Pinch Roller Lever



Leadshine Motor



Head-strike Sensor

DTF

PRESTIGE R2 PRO

DTF PRINTER

SPECIFICATIONS

Item No.: D.02.01.0035-110V / D.02.01.0036-220V

Max Printing Width	14.57" (37 cm)	**Mainboard**	DTF STATION PILOT
Printing Speed	700*1080 DPI 13.45 sq. ft./h (1.25m²/h) 700*1440 DPI 9.69 sq. ft./h (0.9m²/h)	**Machine Weight**	125 lbs (56.7kg)
Printer Head	Dual Epson i1600	**Packaging Weight**	143 lbs (64.86kg)
Software	DigiRIP RIP Software	**Daily Output**	260 pcs(700*1200 DPI) / 180 pcs(720*1800 DPI)
Machine Dimensions	33.58"W x 25.31"D x 20.86"H 85.3cm x 64.3cm x 53cm	**Power Requirements**	700W
Packaging Dimensions	38.18"W x 26.38"D x 26.38"H 97cm x 67cm x 67cm	**Suitable Users**	Intermediate

R2 PRO BUNDLE



Prestige R2 Pro


Powder Shaker



Miro 13 Max



Seismo S20



Phoenix Air 4050

Heat Press Machine



Prisma Auto



Prisma Swing




Prisma Palette

DTF

MIRO 13 MAX

POWDER SHAKER



Miro 13 Max is DTF Station's perfect powdering and curing solution for any A3 and A4 sized DTF printing setup.

With bottom platen heating for even, consistently cured transfers and a built-in air purifier for safer, more eco-friendly powdering, this shaker helps make powdering your DTF transfers a breeze. Plus, at just 1170W (1.17KW), this shaker requires no special electrical adjustments to install or use.

FEATURES

- **Patented air purification system built-in**
- **Bottom Platen Heating:** even, consistently cured transfers every time
- **Curved Heating Platen:** ensures media fits and flows through the shaker smoothly
- **Alignment markings:** markings on the shaker help you ensure your media is feeding correctly
- **True A3 Width Prints:** 13.78" (35cm)

Scan for Info

Scan for Video

SPECIFICATIONS

Item No.: D.01.02.0006-110V / D.01.02.0005-220V

Max Film Width	13.78" (35cm)	**Machine Dimensions**	23.6"W x 40"D x 18.5"H 60cm x 101.6cm x 47cm
Powder Recycling	Every 1 hour manually (keep printing)	**Packaging Dimensions**	23"W x 26.1"D x 20.7"H 66.29cm x 58.42cm x 52.58cm
Machine Weight	70.6 lbs(32.02kg)	**Power Requirements**	1.17KW
Packaging Weight	81.6 lbs(37.01kg)	**Suitable Users**	Beginner



Built-in Purifier



2-in-1Filter



Preheat



The Chamber



Control Panel

DTF

DESKTOP SOLUTION

POWDER STATION & OVEN



FEATURES

- **Easy to operate**
- **Easy to maintenance**
- **Friendly for beginners**
- **Desk-top version but efficient**


Seismo S20

POWDER STATION

SPECIFICATIONS

Item No.: D.01.02.0002(110V/220V)

Machine Weight	55.1 lbs(25kg)	**Machine Dimensions**	22.3"W x 17"D x 24"H 56.7cm x 43.3cm x 60.7cm
Packaging Weight	64 lbs(29kg)	**Packaging Dimensions**	26.4"W x 20.8"D x 28.3"H 67cm x 53cm x 72cm
Powder Volume	4kg	**Power Requirements**	15W



FEATURES

- **Easy to operate**
- **Easy to maintenance**
- **Friendly for beginners**
- **Desk-top version but efficient**
- **Lower heating system**
- **Build-in Air Purifier**

Phoenix Air 4050

OVEN

SPECIFICATIONS

Item No.: D.01.01.0013-110V/ D.01.01.0014-220V

Machine Weight	30.42 lbs(13.8kg)	**Machine Dimensions**	30.3"W x 21"D x 7.72"H 77cm x 53.4cm x 19.6cm
Packaging Weight	37.48 lbs(17kg)	**Packaging Dimensions**	32"W x 23.2"D x 10"H 81.5cm x 59cm x 25.5cm
Max. Baking Size	40*50cm		
Temperature Range	0-150°C (0-302°C)	**Power Requirements**	1000W

DTF

PRINTPRO TABLES



The PrintPro Tables are here to complete any DTF printing setup, and pair especially well with DTF Station's product line. This heavy-duty, fully metal stand provides sturdy support for your DTF printer or equipment.

With enclosed storage, industrial wheels for easy mobility, and an outside holder for the waste bottle, the PrintPro Tables will keep your workspace mobile and clean. Elevate your DTF printing setup with this versatile accessory, boosting your productivity and streamlining your operations for superior results.

FEATURES

- **Heavy-Duty Construction:** Fully metal housing for durability and reliability.
- **Storage Space:** Store your ink cartridges, supplies, and other items keeping your workspace organized.
- **Industrial Wheels:** Smooth movement and easy positioning of the table for optimal setup.
- **Magnetic Doors:** Magnetic doors mean your stuff is easy to access when you need it and stays secure when you don't.

Scan for Info

Scan for Video

SPECIFICATIONS

Item No.: D.01.04.0001-S / D.01.04.0002-M

Material	Metal	**Packaging Weight S**	61.7 lbs(28kg)
Product Dimensions S	27.6"W x 23.6"D x 18.5"H 70cm x 60cm x 47cm	**Packaging Weight M**	92.6 lbs(42kg)
Product Dimensions M	33"W x 20.7"D x 32.5"H 83.6cm x 52.6cm x 82.5cm		










DTF

A2 SOLUTION

Solution for industrial DTF users who need to print few hundreds of T-shirts daily with a smaller footprint



DTF

PRESTIGE L2

DTF PRINTER



The Prestige L2 is the perfect fit for mid-sized businesses and those looking to upgrade from smaller pipelines. With similar features as the Prestige XL2 in a smaller package, this 16" roll printer will boost your DTF printing speed with ease and efficiency.

Scan for Info


FEATURES

- **Two i3200 print heads**
- **Head Strike Sensor:** Prevents any head strikes
- **Maximum Print width:** 16.5" roll media
- **Fully automated** system
- Variety of **adjustable settings** including:


1. **Belt Speed**
2. **Powder Shaking Power**
3. **Cooling**
4. **Suction**
5. **Head Strike sensor** inside shaker and take-up reel
6. **Pulls film as printer prints**

BENEFITS

- **Speed & Efficiency:** 40-60 shirts/hour (12"x12", 720x1800, 6Pass/High Resolution)
- **2*i3200 print heads:** One of the fastest performing DTF printers on the market
- **Compact size/smaller Footprint:** perfect for mid-sized businesses



Accurate Platen with Unique Heating System


Cleaning Liquid Self-feeding System


Auto-cleaning System


White Ink Circulating System


Leadshine Motor


Pinch Roller



Emergency Stop Button


Mainboard

DTF

PRESTIGE L2

DTF PRINTER

SPECIFICATIONS

Item No.: D.02.01.0028-110V / D.02.01.0029-220V

Max Printing Width	45cm(18")	**Mainboard**	DTF STATION PILOT
Printing Speed	6Pass 5.5m²/h 8Pass 4.5m²/h	**Machine Weight**	306 lbs (139kg)
Printer Head	Dual Epson i3200	**Packaging Weight**	315 lbs (175kg)
Software	DigiRIP RIP Software	**Daily Output**	400 pcs(6PASS) / 300 pcs(8PASS)
Machine Dimensions	52.75"W x 26"D x 55"H 134cm x 66cm x 140cm	**Power Requirements**	800W
Packaging Dimensions	47.24"W x 39.3"D x 28"H 120cm x 100cm x 71.1cm	**Suitable Users**	Commercial business users

L2 BUNDLE



Prestige L2

Powder Shaker


Seismo L16R

Miro 16

Heat Press Machine


Prisma Auto



Prisma Swing


Prisma Palette

DTF

MIRO 16

POWDER SHAKER



The Miro 16 is DTF Station's ultimate powdering and curing solution, designed for seamless integration into any A2 (16") DTF printing setup. Featuring patented bottom platen heating for even, consistent transfers and a built-in air purification system for safer, eco-friendly powdering, this shaker streamlines the powdering process. With a low power draw of just 1300W (1.3KW), it requires no special electrical adjustments, making installation effortless.

FEATURES

- **Patented bottom platen heating** for even, consistently cured transfers
- **Patented built-in air purifier** & internal smoke circulating system
- No need for expensive electrical modifications—just **plug in and start printing**
- Compact design to **fit in smaller spaces & standard doorways** for space efficiency
- **Ruler marks** on the shaker for easy alignment
- **Curved heating platen** ensures precise film fitting for optimal printing
- Easy-to-operate control panel
- Molded foam packaging for secure transportation

Scan for Info

SPECIFICATIONS

Item No.: D.01.02.0021-110V/D.01.02.0022-220V

Max Film Width	45cm(18")	**Control Panel**	Touch screen
Powder Recycling	Every 4 to 5 hours manually	**Machine Weight**	374.8 lbs(170kg)
Machine Dimensions	60"W x 30"D x 40.6"H 152cm x 76cm x 103cm	**Packaging Weight**	265.55 lbs(120kg)
Packaging Dimensions	52"W x 48"D x 42.5"H 132cm x 122cm x 108cm	**Power Requirements**	1300W

SEISMO L16R

POWDER SHAKER

DTF



The Seismo L16R is an intuitive, automatic powdering option for DTF business runners. It has an auto-recirculating system that collects excess powder for refilling and reuse, making it more efficient and cost-effective. The shaker is controlled by an intelligent sensor system, and users simply need to make sure to recycle the ink and powder every 4 hours during operation.

FEATURES

- **Sensor control system** makes using the shaker easy, intuitive, and consistent at lower labor costs
- **The suction system** makes setting up a new roll of film easy and helps you conserve film with each new roll of film

BENEFITS

- **Free your worker** while get your worker better edcuated at a much more easier way

Scan for Info **Scan for Video**

SPECIFICATIONS

Item No.: D.02.02.0020

Max Film Width	45cm(18")	**Control Panel**	Touch screen
Powder Recycling	Every 4 to 5 hours manually	**Machine Weight**	374.8 lbs(170kg)
Machine Dimensions	63.8"W x 34.3"D x 39"H 162cm x 87.2cm x 99.2cm	**Packaging Weight**	485 lbs(220kg)
Packaging Dimensions	55.9"W x 44.5"D x 43.8"H 142cm x 113cm x 111.3cm	**Power Requirements**	2.5KW-3.5KW










DTF

60CM SOLUTION




Solution for industrial users - solutions with more print heads and faster speed available upon request



COMPARISON

60CM DTF PRINTER

DTF

	Printer Head	Mainboard	Max Printing Width	Printable Color	Printing Speed	Daily Output
 **Prestige XL2**	Epson i3200A1 x2	DTF STATION PILOT	23.62" (60 cm)	CMYKW	80-100 sq. ft./hour (7.4-9.3 m^2/h)	500-650 pcs
 **Prestige XL2 Pro**	Epson i3200HD + i3200A1	DTF STATION PILOT	23.62" (60 cm)	CMYKRGBO +WWWW	43-65 sq.ft/hour (4-6 m^2/h)	300-400 pcs
 **Prestige XL3**	Epson i3200A1 x3	DTF STATION PILOT	23.62" (60 cm)	CMYKW +RGBO	91-72 sq. ft./hour (8.5-6.7 m^2/h)	440-540 pcs

DTF

PRESTIGE XL2 PRO

DTF PRINTER



Prestige XL2 Pro is the first 24”(60 cm) dual print-head printer with an 8-color system, including Orange, Red, Green and Blue, in the DTF station solution. It’s ideal for users seeking high color accuracy in a large 24”(60 cm) format.

FEATURES


- **More Color, Better Prints:** Addition of Red, Green, Blue, and Orange ink makes for more accurate, vibrant prints and wider possible color range
- **Save on space, not quality:** Slightly smaller than the Prestige XL3 with high-quality, vibrant color prints
- **Advanced Maintenance Features:** White Ink Management System (WIMS),Passive Auto-Cleaning, Auto-Cleaning, Auto-Wet Capping
- **Advanced Sensors:** Head Strike Sensor, Tension Bar Sensor,Build-in Temperature and Humidity sensor

BENEFITS

- **Easy access/repair:** intuitive, labeled board design and connections for easy access and repair

Scan for Info

Scan for Video



DTF

PRESTIGE XL2 PRO

DTF PRINTER

SPECIFICATIONS

Item No.: D.02.01.0047-110V / D.02.01.0048-220V

Max Printing Width	23.62”(60cm)	**Mainboard**	DTF STATION PILOT
Printing Speed	720 x1200 dpi 41 sq.ft./h (4m²/h) 720 x1800 dpi 65 sq.ft./h (6m²/h)	**Machine Weight**	310 lbs (141kg)
Printer Head	Epson i3200HD+i3200A1	**Packaging Weight**	360 lbs (163kg)
Software	DigiRIP RIP Software + DTF Pilot	**Daily Output**	300-400 pcs
Machine Dimensions	64.7”W x 36.9”D x 55.7”H 164.4cm x 93.8cm x 141.6 cm	**Power Requirements**	1000W
Packaging Dimensions	57.4”W x 39.37”D x 28”H 146cm x 100cm x 71.1 cm	**Suitable Users**	Industrial business runner

XL2 PRO BUNDLE



Prestige XL2 PRO

Powder Shaker



Seismo L24R



Miro 24

Heat Press Machine



Prisma Auto



Prisma Swing

DTF

PRESTIGE XL3

DTF PRINTER



Prestige XL3 adding Orange, Red and Green colors, XL3 is the only printer that has 8 colors printing system among DTF Station's DTF printer line. It is perfect fit for industrial businesses runners who is looking for high standard printing quality on more colors. Three Epson I3200 printheads, smaller size in comparison to other printers with similar performance.

Scan for Info


Scan for Video

FEATURES

- **7.5 m²/h(720*1800dpi); 9.5 m²/h(720*1200dpi)**
- **White ink circulating system**
- **Head strike sensor**
- **Auto-cleaning system**
- **Auto-wet capping station system**
- **Auto Ink Alarming system**
- **Compact size with printing width as 60cm(24")**
- **Offered with DigiRIP RIP Software**

BENEFITS


- **DTF Station Tech Support:** here to help with full after-purchase support
- **Perfect for industrial business level of DTF Printing**
- **Compact yet powerful**
- **Intuitive, elegant design for easy set up**



Accurate Platen with Unique Heating System


Electirc Pinch Roll Lever


Auto-cleaning System


Auto Wet Caps


Leadshine Motor



White Ink Circulating System


Emergency Stop Button


Mainboard

DTF

PRESTIGE XL3

DTF PRINTER

SPECIFICATIONS

Item No.: D.03.01.0495-110V / D.02.01.0042 -220V

Max Printing Width	23.62"(60cm)	**Mainboard**	DTF STATION PILOT
Printing Speed	720 x1800 dpi 90.42 sq.ft./h (8.4m²/h) 720 x2400 dpi 71.04 sq.ft./h (6.6m²/h)	**Machine Weight**	490.5 lbs (222.5kg)
Printer Head	Triple Epson i3200	**Packaging Weight**	608.4 lbs (276kg)
Software	DigiRIP RIP Software	**Daily Output**	440-540 pcs
Machine Dimensions	74.21"W x 29.5"D x 65.11"H 188.5cm x 75cm x 165.3 cm	**Power Requirements**	1000W
Packaging Dimensions	43.3"W x 82.6"D x 29.2"H 110cm x 210cm x 74.2 cm	**Suitable Users**	Industrial business runner

XL3 BUNDLE


Prestige XL3

Powder Shaker


Seismo L24R


Miro 24

Heat Press Machine


Prisma Auto


Prisma Swing

DTF

PRESTIGE XL4

DTF PRINTER



Prestige XL4 is the fastest industrial-size printer for high-end custom printing. Boasting four Epson i3200 print heads and speeds of more than 133.5 sq ft/hr, this powerhouse can produce up to 1000 designs daily; and set your production apart from other print shops.
The Prestige XL4's remarkable speed and efficiency not only enhance productivity but also ensure high-quality output for even the most demanding custom printing tasks.

Scan for Info

Scan for Video


FEATURES

- **WhiteinkManagement system(WIMs):** timed white ink stirring system to circulate and maintain white ink inside printer
- **Head Strike Sensor:** helps prevent damage to printhead
- **Media Tension Sensor**
- **Auto Wet capping system**
- **Industrial Carriage Motor Drive:** Higher speeds, allowing for faster printing rates
- **Film Sensor**


BENEFITS

- **DTF station Tech support:** here to help with full after-purchase support 1 year Limited Warranty on Non-Consumable Parts + 6 Month Warranty on up to 2 printheads*

*Must complete Onsite Training/installation



Accurate Platen with Unique Heating System


Electirc Pinch Roll Lever


Auto-cleaning System

Auto Wet Caps

Leadshine Motor


White Ink Circulating System


Emergency Stop Button

Mainboard

DTF

PRESTIGE XL4

DTF PRINTER

SPECIFICATIONS

Item No.: D.02.01.0039-110V / D.02.01.0038-220V

Max Printing Width	23.62″(60cm)	**Mainboard**	DTF STATION PILOT
Printing Speed	720 x1800 dpi 172 sq.ft./h (17m²/h) 720 x2400 dpi 106.5 sq.ft./h (9.9m²/h)	**Machine Weight**	490.5 lbs (222.5kg)
Printer Head	Epson i3200x4	**Packaging Weight**	608.4 lbs (276kg)
Software	DigiRIP RIP Software	**Daily Output**	440-540 pcs
Machine Dimensions	74.21"W x 29.5"D x 65.11"H 188.5cm x 75cm x 165.3 cm	**Power Requirements**	1000W
Packaging Dimensions	43.3"W x 82.6"D x 29.2"H 110cm x 210cm x 74.2 cm	**Suitable Users**	Industrial business runner

XL4 BUNDLE


Prestige XL4

Powder Shaker


Seismo L24R


Miro 24

Heat Press Machine




Prisma Auto


Prisma Swing

DTF

COMPARISON



XL2 & XL4 DTF PRINTER

	Printer Head	Mainboard	Max Printing Width	Printable Color	Printing Speed	Daily Output
 **Prestige XL2**	Epson i3200A1 x2	DTF STATION PILOT	23.62" (60 cm)	CMYKW	720 x1200 dpi 41 sq.ft./h (4m²/h) 720 x1800 dpi 65 sq.ft./h (6m²/h)	500-650 pcs
 **Prestige XL4**	Epson i3200A1 x4	DTF STATION PILOT	23.62" (60 cm)	CMYKW	720 x1800 dpi 172 sq.ft./h (17m²/h) 720 x2400 dpi 106.5 sq.ft./h (9.9m²/h)	680 pcs

DTF

COMPARISON

SEISMO L24R & MIRO 24 POWDER SHAKER

	Max Film Width	Max. amount of powder applied at one time	Powder Filling Box	Powder Collection Drawer	Powder Filling Frequency
 **Miro 24**	23.62" (60 cm)	2.2 lbs (1kg)	No	Yes	Every 1 Hour
63.8"W x 35.9"D x 39"H 162cm x 91.2cm x 99.2cm  **Seismo L24R**	23.62" (60 cm)	4.4 lbs (2kg)	Yes	Yes	Every 2-3 Hours

DTF

MIRO 24

POWDER SHAKER



The Miro 24 is our latest automatic DTF powder shaker and dryer, designed for DTF users who require a powerful solution for printing widths above 18"(45cm). An enhanced version of our Seismo M24 shaker, the Miro 24 is specifically engineered to pair seamlessly with DTF Station's 18"(45cm) and all 24"(60cm) DTF systems. With upgrated heating structure, power consumption has been optimized from 3000W on the Seismo M24 to 1700W on the Miro 24, offering a more efficient powder application process. Additionally, the Miro 24 features a built-in air purifier, ensuring a safer and more eco-friendly workspace that also saves time and space.

FEATURES

- **Compact size** makes it easy to go through a standard width door without any special tools
- **Low power consumption** no need for special electrician assistance during setup
- **Air Purifier built-in** eliminates smoke and help ensure a safe workspace
- **Scale mark on the shaker for easy alignment**
- **Curved heating platen** ensures the film fits precisely for more optimal printing
- **Simple, intuitive build** easy to use, maintain, and clean
- **Work Table Included**


Scan for Info


Scan for Video

SPECIFICATIONS

Item No.: D.01.02.0009-110V / D.01.02.0008-220V

Max Film Width	60cm(23.62")	**Machine Weight**	254 lbs(115kg)
Powder Recycling	Every 1 hour manually	**Packaging Weight**	332 lbs(150kg)
Machine Dimensions	59.55"W x 30.16"D x 22.38"H 151.2cm x 76.6cm x 56.9cm	**Power Requirements**	1.7KW
Packaging Dimensions	37.01"W x 41.34"D x 39.37"H 94cm x 105cm x 100cm	**Suitable Users**	Advanced DTF users /Printing factories






DTF

SEISMO L24R

POWDER SHAKER



The Seismo L24R is an intuitive, automatic powdering option for DTF business runners. It has an auto-recirculating system that collects excess powder for refilling and reuse, making it more efficient and cost-effective.
The shaker is controlled by an intelligent sensor system, and users simply need to make sure to recycle the ink and powder every 4 hours during operation.

FEATURES

- **Sensor control system** to make the shaker working stable at a much more lower labor cost
- **Suction system** to save your film for each new roll of film set up while make the new roll feeding process much more easier

BENEFITS

- **Free your worker** while get your worker better edcuated at a much more easier way

Scan for Info

Scan for Video

SPECIFICATIONS

Item No.: D.02.02.0017

Max Film Width	60cm(23.62")	**Control Panel**	Touch screen
Powder Recycling	Every 4 to 5 hours manually	**Machine Weight**	418.8 lbs(190kg)
Machine Dimensions	63.8"W x 35.9"D x 39"H 162cm x 91.2cm x 99.2cm	**Packaging Weight**	529.1 lbs(240kg)
Packaging Dimensions	55.9"W x 44.5"D x 43.8"H 142cm x 113cm x 111.3cm	**Power Requirements**	3KW-5.2KW







THE PURIFIER MINI



The Purifier Mini purifies the air from particles created during the DTF process, promoting a clean and safe working environment for small to mid-size DTF printing setups.

Small size, easy to replace parts and accessories, and wide compatibility with many DTF printers, ovens, and shakers were the most important qualities in mind during the Mini's development.

FEATURES

- **Compact in size**
- **Easy to replace the parts**
- **Compatiable from both 110V to 220V**

BENEFITS

- **Get your working enviroment friendly at a low noise**

SPECIFICATIONS

Item No.: D.01.03.0006 (110V/220V)

Voltage	1.5A	**Machine Weight**	12.1 lbs(5.5kg)
Machine Dimensions	8.11"W x 8.11"D x 10.63"H 20.6cm x 20.6cm x 27cm	**Packaging Weight**	29.8 lbs(13.5kg)/2sets
Packaging Dimensions	13.8"W x 13.8"D x 15"H 35cm x 35cm x38cm 28.7"W x 14.6"D x 15"H(2sets) 73cm x 37cm x38cm(2sets)	**Power Requirements**	50W






THE PURIFIER LARGE



The Purifier Large is a must-have for DTF printing users who are running large-format DTF printers, like the Prestige L2, XL2, and XL4. It purifies the air from particles created during the DTF process, promoting a clean and safe working environment for small to mid-size DTF printing setups.

Smaller in size than other comparable purifiers, this commercial unit has easy to replace parts and accessories and was designed to be compatible with a wide range of DTF printers, ovens, and shakers.

FEATURES

- **Compact in size**
- **Easy to replace the parts**
- **Oil and smoke seperate system**


BENEFITS

- **Get your working enviroment friendly at a low noise**

SPECIFICATIONS

Item No.: D.01.03.0005-110V / D.01.03.0003-220V

Voltage	1.5A	**Machine Weight**	61.7 lbs(28kg)
Machine Dimensions	11.8"W x 15.8"D x 21.3"H 30cm x 40cm x 54.1cm	**Packaging Weight**	66.1 lbs(30kg)
Packaging Dimensions	20.5"W x 13.8"D x 15"H 52cm x 35cm x38cm	**Power Requirements**	62W



DTF CONSUMABLES

	ROLL	Sheet
 **COLOR PRIME DTF Film (Hot/Cold Peel)**	Item No.: D.03.01.0256-20cm Item No.: D.03.01.0020-30cm Item No.: D.03.01.0505-35cm Item No.: D.03.01.0025-40cm Item No.: D.03.01.0023-45cm Item No.: D.03.01.0021-60cm Item No.: D.03.01.0001-81cm Size: 100 m/roll	Item No.: D.03.01.0005-A4 Item No.: D.03.01.0004-A3 Item No.: D.03.01.0218-33*48cm Item No.: D.03.01.0219-35*40cm Item No.: D.03.01.0220-40*50cm Pcs: 100 sheet/bag
 **COLOR PRIME DTF Film (Instant Peel)**	Item No.: D.03.01.0731-20cm Item No.: D.03.01.0704-30cm Item No.: D.03.01.0693-33cm Item No.: D.03.01.0692-35cm Item No.: D.03.01.0740-40cm Item No.: D.03.01.0734-43cm Item No.: D.03.01.0694 -45cm Item No.: D.03.01.0735-76cm Item No.: D.03.01.0748-80cm Item No.: D.03.01.0733-90cm Size: 100 m/roll	Item No.: D.03.01.0744-A3 Item No.: D.03.01.0745-33*48cm Item No.: D.03.01.0742-35*40cm Item No.: D.03.01.0743-40*50cm Pcs: 100 sheet/bag
 **DTF Golden Film (Cold Peel)**	Item No.: D.03.01.0276-20cm Item No.: D.03.01.0277-30cm Item No.: D.03.01.0407-60cm Size: 25 m/roll	Item No.: D.03.01.0271-A4 Item No.: D.03.01.0275-A3 Item No.: D.03.01.0278-33*50cm Item No.: D.03.01.0279-40*50cm Pcs: 100 sheet/bag
 **DTF Film Glow in the Dark(Cold Peel)**	Item No.: D.03.01.0280-20cm Item No.: D.03.01.0281-30cm Size: 25 m/roll	Item No.: D.03.01.0270-A4 Item No.: D.03.01.0274-A3 Item No.: D.03.01.0286-33*50cm Item No.: D.03.01.0287-40*50cm Pcs: 100 sheet/bag
 **DTF Film Glitter (Cold Peel)**	Item No.: D.03.01.0284-20cm Item No.: D.03.01.0285-30cm Size: 25m/roll	Item No.: D.03.01.0269-A4 Item No.: D.03.01.0273-A3 Item No.: D.03.01.0282-33*50cm Item No.: D.03.01.0283-40*50cm Pcs: 100 sheet/bag Item No.: D.03.01.0272-A4 Pcs: 30 sheet/bag

DTF CONSUMABLES


DTF

 **COLOR PRIME DTF INK (CMYKW)**	White: F.02.06.0049 Black: F.02.06.0050 Cyan: F.02.06.0051 Magenta: F.02.06.0052 Yellow: F.02.06.0053 Size: 500ml/bottle	White: F.02.06.0044 Black: F.02.06.0045 Cyan: F.02.06.0046 Magenta: F.02.06.0047 Yellow: F.02.06.0048 Size: 1000ml/bottle
 **COLOR PRIME DTF INK (RGBO)**	Red: F.02.06.0066 Green: F.02.06.0067 Blue: F.02.06.0068 Orange: F.02.06.0069 Size: 1000ml/bottle	
 **COLOR PRIME Cleaning Liquid & Maintenance Liquid**	Red: F.02.06.0066 Green: F.02.06.0067 Blue: F.02.06.0068 Orange: F.02.06.0069 Size: 1000ml/bottle	
 **COLOR PRIME DTF Powder**	Item No.: F.02.06.0014 Size: 1kg/bag Item No.: D.03.01.0221 Size: 20kg/bag	
 **COLOR PRIME Flex DTF Powder**	Item No.: D.03.01.0719 Size: 1kg/bag Item No.: D.03.01.0720 Size: 25kg/bag	
 **COLOR PRIME DTF Black Powder**	Item No.: D.03.01.0545Size: 1kg/bag	

UV-DTF

ARIES 213

UV-DTF PRINTER



The Aries 213, the 2nd beginner UV DTF printer from DTF Station, combines a compact design with advanced features for superior performance on hard surface applications. It features a single industrial Epson i3200HD-U1 printhead for simpler maintenance, intuitive operation, and exceptional print quality, along with an LCD touch panel and an ink level indicator for a seamless user experience. Ideal for business starters or anyone expanding into UV DTF printing technology with limited space, the Aries 213 seamlessly combines innovation, reliability, and ease of use in one powerful, compact package.

FEATURES

- **Compact size with a printing width of 30cm (11.8”)**
- **LCD touch control panel with easy controls for a user-friendly experience**
- **Printing and laminating, 2-in-1 functionality**
- **White ink circulating system**
- **Head strike sensor**
- **Auto-cleaning system**
- **Auto ink alarming system**
- **Includes DigiRIP RIP software**

SPECIFICATIONS

Item No.: D.02.03.0015-110V / D.02.03.0016-220V

Printer Head	EPSON 3200HD U1	**Max Print Width**	30cm(11.8")
Mainboard	DTF STATION PILOT	**Machine Weight**	253.53 lbs(115kg)
Machine Dimensions	39"W x 24"D x 45.2"H 100cm x 60cm x 115cm	**Packaging Weight**	330.69 lbs(150kg)
Product Dimensions	43"W x 41"D x 28.3"H 110cm x 72cm x 105cm	**Power Requirements**	700W
Printing Speed	(High Speed Mode) 2.5-3.5m²/H (26.9-37.7ft²/H) (High Res Mode) 2.0-2.5m²/H(21.5-26.9ft²/H)		

ARIES 124

UV-DTF PRINTER



The Aries 124 is the fastest in speed, largest in witdth of UV-DTF Printer among our DTF STATION Family, we had been waiting for so long to lanuch it. There is no doubt that UV-DTF would be the next game changer for promotion, sign, personalized industry.
The Aries 124 is with four Epson I1600 heads, it is the perfect industrial level solution for customer who would like to lower the cost for their promotional business, have more possibility for their personalized business and more easier but better performance for their sign business

FEATURES

- **1024pcs 4*4cm logo printing/h (720*1800dpi)**
- **1590pcs 4*4cm logo printing/h (720*1200dpi)**
- **White ink circulating system**
- **Head strike sensor**
- **Auto-cleaning system**
- **Auto Ink Alarming system**
- **Compact size with printing width as 60cm(23.6")**
- **Phnumatic release film feeding system**
- **Air purifier to lessen the smell**
- **LCD touch screen with ink level indicator**
- **Static removing structure**

Scan for Info **Scan for Video**

SPECIFICATIONS

Item No.: D.02.03.0013-110V / D.02.03.0014-220V

Printer Head	Epson i1600x4	**Max Print Width**	60cm(23.6")
Mainboard	DTF STATION PILOT	**Machine Weight**	551.16 lbs(250kg)
Machine Dimensions	73.8"W x 37.4"D x 62.8"H 187.5cm x 95cm x 159.4cm	**Packaging Weight**	716.5 lbs(325kg)
Product Dimensions	47.2"W x 44.9"D x 33.3"H 120cm x 114cm x 84.6cm	**Power Requirements**	1900W
Printing Speed	1024pcs 4*4" logo printing(720*1800) 1590pcs 4*4" logo printing(720*1200)		






UV-DTF CONSUMABLES



UV-DTF Film A-PET

Item No.: D.03.01.0012-31cm
Item No.: D.03.01.0490-62cm
Size: 100m/roll



UV DTF Film B

Item No.: D.03.01.0008-31cm
Item No.: D.03.01.0011-62cm
Size: 100m/roll



UV DTF Golden Film

Item No.: D.03.01.0009-31cm
Size: 100m/roll



UV DTF Silver Film

Item No.: D.03.01.0012-31cm
Size: 100m/roll

DigiRIP

DIGIRIP

Item No.: D.03.01.0051

UV-DTF CONSUMABLES



COLOR PRIME
UV DTF Ink-1000ml

Black: F.02.06.0033
Light Black: F.02.06.0059
Light Light Black: F.02.06.0060

Cyan: F.02.06.0034
Light Cyan:F.02.06.0040

Magnetic: F.02.06.0035
Light Magnetic: F.02.06.0039

Yellow: F.02.06.0041
White: F.02.06.0042
Size: 1000ml/bottle



COLOR PRIME
UV DTF Ink-500ml

Black: F.02.06.0022
Cyan: F.02.06.0023
Magnetic: F.02.06.0024
Yellow: F.02.06.0025
White: F.02.06.0026
Size: 500ml/bottle



Varnish Liquid

Item No.: F.02.06.0038
Size: 1000ml/bottle



Cleaning Liquid

Item No.: D.03.01.0363
Size: 1000ml/bottle



Maintenance Liquid

Item No.: D.03.01.0145
Size: 1000ml/bottle

PRISMA AUTO

HEAT PRESS



The Prisma Auto Heat Press is an intuitive and powerful press perfect for most garment printing workflows. It features a 16"x20" platen size, the most popular size for most printers, an auto-open mechanism, slide-out lower platen, and RAMLOCK interchangeable platens.

Given these features and more, the Prisma Auto is the press you need for all your printing jobs!

FEATURES

- **RAMSPIN System:** With the self-developed "RAMSPIN" quick-change system, users can switch between auto-open and manual open control options quickly and easily.
- **RAMLOCK Quick Change System:** With this patented system, users can change between multiple lower platen options and sizes quickly and easily.
- **Pressure sensor:** Current pressure is easily viewable on the press's display.
- **Dressable Lower Platen:** The special laser cut base allows users to dress garments over the lower platen without stretching them out. Simply load the shirt onto the platen and feed the bottom of the garment through the clearance underneath the lower platen.
- **Slider-out Lower Platen:** With the slide-out lower platen, users can place or dress garments freely without worrying about burning their hands on the upper platen during heating.
- **Interchangeable Control Box:** With its high quality aviation connectors, the control box can be taken off and on easily. This helps with the machine maintenance.
- **Heat Platen:** Superior even heating

Scan for Info


Scan for Video

SPECIFICATIONS

Item No.: J.01.01.0052-110V / J.01.01.0051-220V

Heater Size	15"x15"(38.1x38.1cm) 16"x20"(40.6x50.8cm)
Temperature Range	Max.221°C/430°F
Heating Up Time	180°C/20 minutes
Machine Dimensions	24.8"W x 16.1"D x 33.9"H 63cm x 41cm x 86cm 29.5"W x 16.9"D x 33.3"H 75cm x 43cm x 100cm
Packaging Dimensions	28.15"W x 19.7"D x 18.5"H 71.5cm x 50cm x47cm 32.5"W x 19.5"D x 19.9"H 82.5cm x 49.5cm x50.5cm
Auto-open/Manual	Optional
Machine Weight	99.2 lbs(45kg) 101.4 lbs(46kg)
Packaging Weight	102.5 lbs(46.5kg) 119 lbs(54kg)
Power Requirements	1800W





PRISMA SWING

HEAT PRESS



The Prisma Swing Heat Press was designed with a swing away design and a lighter weight, but with higher pressure to be used with all types of transfers, including dye sublimation materials, laser transfer paper, and DTF film.

Although the design of the press is common, the Prisma Swing Heat Press comes with a patented **Ramlock system**. This includes a wide space at the bottom for easier lay-in and take-out of your platens.

FEATURES

- **Interchangeable Control Box:** With its high quality aviation connectors, the control box can be taken off and on easily. This helps with the machine maintenance.
- **Swing Away Design:** The swing-away design gives you completely unobstructed access to the lower platen while working. Load garments and place transfers without hassle.
- **Dressable Lower Platen:** The specially designed base allows users to dress garments over the lower platen without stretching them out. Simply load the shirt onto the platen, and feed the bottom of the garment through the clearance underneath the lower platen.
- **"RAMLOCK" Quick Change System:** With this patented system, users can change between multiple lower platen options and sizes quickly and easily.

Scan for Info

Scan for Video

SPECIFICATIONS

Item No.: J.01.04.0015-110V / J.01.04.0014-220V

Heater Size	16"x20"(40.6x50.8cm)
Temperature Range	Max.221°C/430°F
Heating Up Time	180°C/20 minutes
Machine Dimensions	25.2"W x 17"D x 20.9"H 64cm x 43cm x 53cm
Packaging Dimensions	28.9"W x 19.5"D x 22.4"H 73.5cm x 49.5cm x57cm
Auto-open/Manual	Manual
Machine Weight	97 lbs(44kg)
Packaging Weight	101.4 lbs(46kg)
Power Requirements	1800W





PRISMA PALETTE

HEAT PRESS



FEATURES

- **RAMSPIN System:** With the self-developed "RAMSPIN" quick-change system, users can switch between auto-open and manual open control options quickly and easily.
- **RAMLOCK Quick Change System:** With this patent system, customer can change multiple lower platens with different sizes easily.
- **Dressable Lower Platen:** The large space base allows users to dress garments over the lower platen without stretching them out. Simply load the shirt onto the platen and feed the bottom of the garment through the clearance underneath the lower platen.
- **Slider-out Lower Platen:** With slide-out lower platen, customers could put or dress garments freely without worrying about burning hands by upper heat platen during this process.
- **Interchangeable Control Box:** With its high quality aviation connectors, the control box can be taken off and on easily. This helps with the machine maintenance.
- **Heat Platen:** Superior even heating

Experience the convenience and reliability of the **Prisma Palette Heat Press**! With a 35*42cm (13.78"x16.54") platen size, this is the perfect fit for any A3 and A4 sized printing solutions.

Its even heating, LED display, and interchangeable accessories make this press simple to use and reliable.

Choose from 3 color options: Classic (Black & Grey), Pink, and Mint.

Scan for Info

Scan for Video

SPECIFICATIONS

Item No.: (Grey)J.01.06.0046-110V / J.01.06.0049-220V
(Pink)J.01.06.0048-110V / J.01.06.0051-220V
(Mint)J.01.06.0047-110V / J.01.06.0050-220V

Heater Size	13.8"X16.5"(35x42cm)
Temperature Range	Max.221°C/430°F
Heating Up Time	180°C/20 minutes
Machine Dimensions	23.15"W x 14.3"D x 18.6"H 58.8cm x 36.3cm x 47.3cm
Packaging Dimensions	26.7"W x 18.1"D x 21.7"H 68cm x 46cm x55cm
Auto-open/Manual	Optional
Machine Weight	71.9 lbs(32.6kg)
Packaging Weight	81.6 lbs(37kg)
Power Requirements	1500W





PRISMA HOBBY

HEAT PRESS



FEATURES

- **LED Digital Display**
- **Interchangeable Control box**
- **Heat Platen: Superior even heating**
- **Compact Design**
- **Over The Center Pressure Distribution**
- **Gas-springs Lift**
- **Dressable Lower Platen**

The Prisma Hobby Heat Press is an A4 sized press suitable for dye-sub starters, vinyl crafters, and all types of transfer printing. It is the perfect press for hobby or starter users, and those with limited working space.

The 15 kg total weight (including packaging) makes this press the perfect size to take your printing shop anywhere!

Plus, its elegant, intuitive design and interchangeable control box take this compact heat press to the next level!

Choose from 3 color options: Classic (Black & Grey), Pink, and Mint.


Scan for Info

Scan for Video

SPECIFICATIONS

Item No.: (Grey)J.01.06.0053-110V / J.01.06.0052-220V
(Pink)J.01.06.0055-110V / J.01.06.0054-220V
(Mint)J.01.06.0057-110V / J.01.06.0056-220V

Heater Size	8.3"X11.8" (21.6x30cm)
Temperature Range	Max.221°C/430°F
Heating Up Time	180°C/15 minutes
Machine Dimensions	17"W x 12.2"D x 14.6"H 43cm x 31cm x 37.1cm
Packaging Dimensions	19.7"W x 14.6"D x 16.5"H 50cm x 37cm x42cm
Auto-open/Manual	Manual
Machine Weight	30 lbs(13.6kg)
Packaging Weight	34.1 lbs(15.5kg)
Power Requirements	700W





PRISMA DUET
HEAT PRESS



The Prisma Duet Heat Press is specially developed for logo printing. No matter what substrate you're pressing on, whether it's a curved or straight surface, the Prisma Duet will get the job done easily and reliably.

FEATURES

- **RAMLOCK Quick Change System:** With this patented system, users can change between multiple lower platen options and sizes quickly and easily.
- **Digital Control Panel**
- **Easy to Operate and install**
- **Friendly for beginners**
- **Compact in size and lightweight**
- **2-in-1 Logo and Cap Press**

Scan for Info

Scan for Video

SPECIFICATIONS

Item No.: J.01.03.0071-110V/ J.01.03.0072-220V


Heater Size	Flat: 8"X10"(20.3x25.4cm) Cap: 2.75"x6.5" / 3.5"x6.5" / 3"x5.75" / 4"x6.5" /4"x8"	**Machine Weight**	64.4 lbs(29.2kg)
Temperature Range	Max.221°C/430°F	**Packaging Weight**	68.8 lbs(31.2kg)
Heating Up Time	180°C/15 minutes	**Auto-open/Manual**	Manual
Machine Dimensions	22.3"W x 9.7"D x 21.7"H 56.7cm x 24.6cm x55cm	**Power Requirements**	Flat: 700W Cap: 500W
Packaging Dimensions	21.6"W x 18.2"D x 20.2"H 54.8cm x 46.2cm x 51.2cm		







ACCESSORIES
HEAT PRESS

	Item No.
 **Interchangeable Heat Press Platens**	4" x 4"(square): 1801777 4" x 4"(Round): 1600370 8" x 10": 1600374 11" x 15": 600371 12" x 16.5": J.02.07.0066 15" x 15": J.02.07.0012 16" x 20": J.02.07.0013 6" x 20": 1600372
 **Teflon Heat Press Pillow**	A5: J.03.08.0017 A4: J.03.08.0016 16" x 16": J.03.08.0018 16" x 20": J.03.08.0029
 **Teflon Sheet for Heat Press Transfer**	9" x 12": 1800910 11" x 15": 1800665 15" x 15": 1800651 16" x 20": 1800789
 **Teflon/Fabric Heat Press Cover– Custom Options Available**	4" x 4": J.03.09.0021 6" x 10": J.03.09.0023 6" x 20": J.03.09.0022 8" x 10": J.03.09.0018 9" x 12": J.03.09.0019 **11" x 15": J.03.09.0007(Prisma Palette)** **11" x 15": J.03.09.0012(Prisma Auto)** **15" x 15": J.03.09.0017(Prisma Auto)** 16.5" x 16.5": J.03.09.0020 **16" x 20": J.03.09.0024(Prisma Swing)** **16" x 20": J.03.09.0009(Prisma Auto)**

ARC 127
ADVANCED ROLLER CUTTER



Air Compressor Included

Arc 127 (Advanced Roller Cutter 127), DTF Station's first automatic roller cutting machine with a maximum cutting width of 23.6 inches (60 cm). It supports both sheet and roll cutting modes, with options for single-blade and dual-blade cutting. Arc 127 is ideal for a wide range of materials, including DTF and UV DTF prints, it is a powerful tool for boosting productivity in DTF and UV DTF image production.

- **Digirip integration requires Cutter Addon Module**

FEATURES

- **Automated Cutting:** cut your DTF or UV DTF prints in an easier, less labor-intensive & less labor-expensive workflow
- **Seamless Integration:** integrate seamlessly with DigiRIP RIP Software and DTF Station's line of printers
- **Simple, user-friendly interface:** easy to use with intuitive control panel
- **Versatile:** cuts various materials (see specifications below for details)

Scan for Info **Scan for Video**

Tools

- **High-Precision Passive Rotary Blade:** Made from high quality tungsten steel, it supports full and half cuts, suitable for flexible materials like vinyl films and adhesive labels.
- **Large Diameter Snap Ring Blade (Optional):** Ideal for cutting paper materials with a thickness of 1mm, providing smooth cutting edges.



Vinyl Signage | POP-Packaging | Stencils | DTF / Heat Transfer | Window Tinting Film | Party Decorations | Vinyl Decals

ARC 127
ADVANCED ROLLER CUTTER

SPECIFICATIONS

Item No.: D.02.05.0004-110V/ D.02.05.0005-220V

Max. Media Width	23.6" (600mm)	**Mechanical Resolution**	0.05mm
Max. Cutting Size	23.6"x23.6" (600mmx600mm)	**Machine Dimensions**	57.4"W x 51.2"D x 40"H 146cm x 130cm x 100cm
Cutting Methods	Full Cut, Half Cut, Crease Cut	**Packaging Dimensions**	67"W x 50"D x 46.8"H 170cm x 127cm x 118.9cm
Max. Cutting Force	9.8N	**Machine Weight**	529 lbs(240kg)
Cutting Speed	39.4"/s (1000mm/s)	**Packaging Weight**	551 lbs(250kg)
Cutting Thickness	1mm (with optional cutting tools)	**Suitable Users**	Industrial-level users /Printing factories
Power Requirements	1.1KW		

AIR COMPRESSOR

Air Consumption	100 L/min	**Max Pressure**	8 Bar
Tank Capacity	8 Litre	**Electrical Parameters**	220V/2.5KW/15A 110V/1KW/4.5A
Rated Speed	1680 RPM		

STRUCTURE

Aluminum Vacuum Platform: Vortex design with strong suction, enhancing material flatness.

Conveyor System: Equipped with pneumatic clamps and roll material support, improving the adhesion between the material and the conveyor belt.

Cutting Precision: Camera accurately reads marks, suitable for precise contour cutting.

Feeding Design: Designed for processing long roll materials, saving installation time and enhancing cutting stability.

Multi-Functional Operation: Supports blind cutting, edge detection, and single-sheet processing, meeting diverse needs.

Independent electrical system and pneumatic system: Easier maintenance and troubleshooting